

FOIL STAMPING GUIDELINES

Following these guidelines helps ensure a clean, crisp foil finish.

1 TEXT SIZE

Text smaller than 7pt may cause quality issues and should be avoided.

TOO SMALL ❌

ACCEPTABLE ✅

THANK YOU
FOR YOUR ORDER

THANK YOU
FOR YOUR ORDER

< 7 pt

≥ 9 pt

May fill in and lose detail.

Clean, readable and sharp.



Recommended minimum text size: **9 pt.**

2 LINE THICKNESS

All foil areas should have a thickness of at least .008".

TOO THIN ❌

ACCEPTABLE ✅



< 0.008"

≥ 0.008"

Lines may break, appear patchy or not foil.

Strong lines for reliable foil coverage.





Minimum line thickness required: **0.008"**.

3 OPEN SPACE / VOIDS

All voids should have an open area of at least .01".

TOO TIGHT - VOIDS WILL FILL IN ❌

ACCEPTABLE - VOIDS WILL HOLD ✅



Voids smaller than .01" may fill in with foil and lose detail.

Open spaces of .01" or larger allow foil to apply cleanly and preserve detail.

WHAT COUNTS AS OPEN SPACE / VOIDS?

✅ Inside shapes (open areas)

✅ Between elements (gaps)

✅ Inside letters (e.g. O, A, B)

Any empty or unprinted area surrounded by foil (counts as a void).



Minimum open space/void required: **0.01"**.



KEY NOTES



Avoid text under 7 pt.



Recommended minimum text size: **9 pt.**



Minimum line thickness: **0.008"**.



Minimum open space / void: **0.01"**.



Following these standards helps ensure the best foil stamping results.